



# HELICOPTER LANYARDS

SECURE YOUR TROOPS



# HELICOPTER LONG 23MM COYOTTE L55/95



## QUICK RELEASE HOOK 66 MM

Allows you to hook on and release when needed.

### Captive release pin

Welded ring. Black satin stainless steel.

**Max working load 1000 kg**

## COLORS



Coyote



Black

## ELASTIC STRAP

Soft polyester.  
Width 23 mm.  
2.5 mm thick.

## BALL HANDLES

For quick release of the release pin.  
Black press stud fastening

## ALUMINUM CARABINER

Used to hang on the helicopter's stem or hook.  
Double security. Aluminum anodization 5µm.

## SATIN STAINLESS STEEL

All black parts are non-reflective and corrosion resistant.

## TRANSPORT BAG



Weight:  
0.28 kg



Lanyard extended: 95 cm (37 inches)  
Lanyard retracted: 55 cm (22 inches)

Strap resistance: 1600 kg  
Carabiner resistance: 3050 kg / hook: 2200 kg  
Whole system: 1400 kg min.



# PERSONAL LONG RETENTION L60 / 100



Personal retention and extraction lanyard. Designed to connect to the user's harness and to a fixed surface or to an extraction point via an aluminum carabiner.

## COLOR



Black

## 2 ALUMINUM CARABINERS

Double security. Used to hang on the gallows or on the helicopter hook. Aluminum anodization 5µm.

## SATIN STAINLESS STEEL

All black parts are non-reflective and corrosion resistant.

## ELASTIC STRAP

Soft polyester  
Width 30 mm  
3.8 mm thick

## ADDITIONAL LOOP



## CAN BE OPENED VERY QUICKLY

With just one hand

## TRANSPORT BAG



Weight:  
0.350 kg



Lanyard extended: 102cm (40 inches)  
Lanyard retracted: 63cm (25 inches)

Strap resistance: 2250 kg  
Carabiner resistance: 3050 kg  
Whole system: 2200 kg min.

# HELICOPTER LONG 30 MM BLACK L55 / 95



## QUICK RELEASE HOOK

Attachment by black snap button

**Allows you to hang on and release if necessary.**

Captive release pin.

Welded ring.

Black satin stainless steel.

**Max working load 1200 kg**

## BALL HANDLES

For quick release of the release pin.

Black press stud fastening

## ALUMINUM CARABINER

Use to hang from helicopter pole or hook. Double security. Aluminum anodization 5µm.

## SATIN STAINLESS STEEL

All black parts are non-reflective and corrosion resistant.

## COLOR



Black

## ELASTIC STRAP

Soft polyester

Width 30 mm

2.8 mm thick

30 mm

## CAN BE OPENED VERY QUICKLY

With just one hand

## TRANSPORT BAG



Weight:  
0.560 kg



Lanyard extended: 95 cm (37 inches)  
Lanyard retracted: 55 cm (22 inches)

Strap resistance: 2250 kg  
Carabiner resistance: 3050 kg / hook: 3500 kg  
Whole system: 2200 kg min.





BETALIGHT

when reliability really counts

[www.betalight.nl](http://www.betalight.nl)  
[info@betalight.nl](mailto:info@betalight.nl)  
0031 - 341360111